



TRP® INSULATION RANGE

TRP® Heat Shield reduces engine and radiant heat and acts as an insulating barrier, providing a cooler and more comfortable ride.

TRP® Sound Shield absorbs road noise, vibrations and rattles, offering a quieter ride.

TRP® Wire and Hose Tube protects your critical lines and harness from radiant heat and offer temperature protection where needed.

Apply TRP Range of Premium insulation products to your floor, door, roof, sleeper, manifolds and wire looms/hard lines and experience the difference.

TRP Range of Premium Insulation is specially designed for heavy duty applications operating in our country's harsh environment.

Trust TRP® for your ultimate driving comfort.

- ✓ **Exceptional strength and rigidity in high temperature applications**
- ✓ **Pre cut to length for easy installation**
- ✓ **12 Month Hassle Free Warranty**
- ✓ **Made in Australia by OEM Manufacturer**

PRODUCT INFORMATION

TRP Part Number	Description	Function	Dimension
TRP-TF600LGE	Multilayer aluminium heat shield- 6 layer	Thermal	680 x 430mm
TRP-HD5000LGE	Multilayer steel composite heat shield	Thermal	700 x 560mm
TRP-QSDLGE	Aluminium/Butyl self adhesive sound deadener	Acoustic	750x700mm
TRP-QSSLIM	Aluminium/Polyester self adhesive sound/heat shield	Acoustic	550 x 550mm
TRP-T6F150SV	Aluminium coated fibreglass split sleeve	Thermal/Wire and hose	1.5" dia x 4ft 38x1200mm
TRP-T6F075SV	Aluminium coated fibreglass split sleeve	Thermal/Wire and hose	3/4" dia x 4ft 19x1200mm
TRP-UDN088BK	Silicone coated fibreglass sleeve	Thermal/Wire and hose	7/8" dia x 4ft 22x1200mm
TRP-UEN100BK	Resin coated fibreglass sleeve	Thermal/Wire and hose	1" dia x 6ft 25x1800mm
TRP-HFN3NT50	Vermiculite coated fibreglass heat wrap	Thermal	3" x 50ft 75mmx15m
TRP-HFN3NT100	Vermiculite coated fibreglass heat wrap	Thermal	3" x 100ft 75mmx30m
TRP-TFTAPE33	Reinforced aluminium tape	Fastener	48mm x 33m

FEATURES & BENEFITS

- Easy to cut/mould to shape
- Exceptional strength and rigidity
- Ideal for high temperature applications
- Pre cut to length for easy measurement and installation
- Sound shields are self adhesive backed and odour free

Note: Please follow the application and installation instructions provided in the packaging for Heat and Sound shield products



**THE TRP® PRODUCT RANGE GUIDE
IS NOW AVAILABLE ONLINE**

TO VIEW VISIT WWW.TRPPARTS.COM.AU/RANGE



TRUSTED. RELIABLE. PROVEN.

APPLICATION DETAILS

TRP Part Number	Max Service Temp (deg C)	Fastening Method	Application
TRP-TF600LGE	600 contact	Mechanical - Rivets	Cold mount heat shield- Floor or components. Rigid self supporting shield 680 x 430mm
TRP-HD5000LGE	900 contact	Mechanical - Rivets	Hot mount heat shield-Manifold/ Turbo/ DPF, close proximity 700 x 560mm
TRP-QSDLGE	180 adhesive limit	Self Adhesive	Interior sound deadener- Cab floor, firewall, doors, roof, sleeper. Any large panels that rattle/vibrate 750x700mm
TRP-QSSLIM	200 radiant (aluminium side)	Self Adhesive	Cold mount heat/sound shield- Firewall (engine bay), inner roof skin 550 x 550mm
TRP-T6F150SV	760 radiant, 200 contact	Self Adhesive	Radiant heat protection- Wire looms, air, fuel, hydraulic lines. Split for easy installation 1.5" dia x 4ft
TRP-T6F075SV	760 radiant, 200 contact	Self Adhesive	Radiant heat protection- Wire looms, air, fuel, hydraulic lines. Split for easy installation. 3/4" dia x 4ft
TRP-UDN088BK	260 contact	-	Ambient temp protection- Hard lines(steel, aluminium, copper), items needing stable temperature 7/8" dia x 4ft
TRP-UEN100BK	650 contact	-	Contact temp protection. Wire looms, air, fuel, hydraulic lines, items that may contact hot regions 1" dia x 6ft
TRP-HFN3NT50	650 contact	-	Hot mount. Exhaust pipe, manifolds. Reduces radiant heat, holds heat in pipe. 3" x 50ft
TRP-HFN3NT100	650 contact	-	Hot mount. Exhaust pipe, manifolds. Reduces radiant heat, holds heat in pipe. 3" x 100ft
TRP-TFTAPE33	200 contact	Self Adhesive	Seal edges of heat shields, wrap cables/wiring 48mm x 33m

Note: Please follow the application and installation instructions provided in the packaging for Heat and Sound shield products

October 16, 2020



TRUSTED. RELIABLE. PROVEN.

**FREECALL* 1800 (TRPART) 877 278 NOW
TO SPEAK TO YOUR LOCAL DEALER**



For further information and full warranty details visit our website

www.trpparts.com.au

Copyright ©2019 property of PACCAR Australia. Unauthorised reproduction in whole or part without our express written permission is strictly prohibited. Information and diagrams are provided for guidance only. PACCAR Australia reserves the right to alter product offerings and specifications at any time, without notice. PACCAR Australia makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic or typographic errors. Product designs vary across different vehicle makes and models, and installed components should be identified by part number before attempting repair or replacement. Products should only be replaced by suitably trained and qualified technician/tradesperson.

* Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.