

POLY V-BELT



POLY RIB BELT



TRP® POLY RIB & V-BELTS

TRP® Belts have been designed to meet the high torque and power rhythms in today's demanding diesel engines. Manufactured in the USA, TRP® Belts are constructed with polyester cording which provides maximum power transfer and tension holding capability for the life of the belt.

TRP® Belts are covered by a 12 month, unlimited kilometre warranty, backed by PACCAR and a national network of parts and service professionals.

So next time you need to replace your belts think trusted, reliable, proven – think TRP®.

- ✓ **Great value alternative to OEM part**
- ✓ **Polyester cords provide length stability and fewer tension adjustments**
- ✓ **12 month, unlimited kilometre warranty**



TRUSTED. RELIABLE. PROVEN.

POLY V-BELTS

FEATURES & BENEFITS

- Heat-resistant and built to withstand wear and corrosion.
- Polyester cording provides maximum power transfer and tension holding capability for the life of the belt.
- OE quality fit and construction for reliable, long-lasting performance.
- Full sidewall contact helps prevent slippage.
- 3 ply construction helps prevent belt roll-over, reduces noise and protects against chemical-related deterioration.
- 12 month, unlimited Kilometre warranty.

V-BELTS — APPLICATIONS AND CROSS REFERENCES

PART NUMBER	DIMENSION (MM)	DIMENSION (INCH)	EQUIVALENTS
17335BLT	13MM TW X 852MM EL	17/32" TW X 33-1/2" EL	9335HD, 17335
17380BLT	13MM TW X 965MM EL	17/32" TW X 38" EL	9380HD, 17380
17400BLT	13MM TW X 1016MM EL	17/32" TW X 40" EL	9400HD, 17400, 17401
17425BLT	13MM TW X 1080MM EL	17/32" TW X 42-1/2" EL	9425HD, 17425
17435BLT	13MM TW X 1105MM EL	17/32" TW X 43-1/2" EL	9447HD
17443BLT	13MM TW X 1100MM EL	17/32" TW X 43.3" EL	9435HD, 17435
17445BLT	13MM TW X 1129MM EL	17/32" TW X 44-1/2" EL	9447HD, 17447, 17446
17450BLT	13MM TW X 1145MM EL	17/32" TW X 45" EL	9451HD, N9451, 17451
17465BLT	13MM TW X 1180MM EL	17/32" TW X 46-1/2" EL	9465HD, 17465
17470BLT	13MM TW X 1194MM EL	17/32" TW X 47" EL	9470HD, 17470
17475BLT	13MM TW X 1208MM EL	17/32" TW X 47-1/2" EL	9476HD, 17476, 17474
17490BLT	13MM TW X 1245MM EL	17/32" TW X 49" EL	9490HD, 17490, 17491
17495BLT	13MM TW X 1258MM EL	17/32" TW X 49-1/2" EL	9495HD, 17495, 17494
17500BLT	13MM TW X 1271MM EL	17/32" TW X 50 EL"	9500HD, 17500, 17501
17505BLT	13MM TW X 1283MM EL	17/32" TW 50-1/2" EL	9505HD, 17505
17510BLT	13MM TW X 1295MM EL	17/32" TW X 51" EL	9510HD, 23520033, 17511, 17510
17525BLT	13MM TW X 1334MM EL	17/32" TW 52-1/2" EL	9525HD, 17525
17530BLT	13MM TW X 1347MM EL	17/32" TW X 53" EL	9530HD, 17530, 17531
17550BLT	13MM TW X 1397MM EL	17/32" TW X 55" EL	9550HD, 17550, 17551
17555BLT	13MM TW X 1408MM EL	17/32" TW X 55-1/2" EL	9555HD, 17555
17560BLT	13MM TW X 1423MM EL	17/32" TW X 56" EL	9560HD, N9560, 17561, 17560

V-BELTS — APPLICATIONS AND CROSS REFERENCES

PART NUMBER	DIMENSION (MM)	DIMENSION (INCH)	EQUIVALENTS
17570BLT	13MM TW X 1449MM EL	17/32" TW x 57" EL	9570HD, 17570
17580BLT	13MM TW X 1473MM EL	17/32" TW X 58-1/2" EL	9580HD, 17580, 17581
17585BLT	13MM TW X 1486MM EL	17/32" TW X 58-1/2" EL	9585HD, 17585
17590BLT	13MM TW X 1500MM EL	17/32" TW X 59" EL	9590HD, 17590, 17591
17601BLT	13MM TW X 1525MM EL	17/32" TW X 60" EL	9600HD, 17600, 17601
17605BLT	13MM TW X 1539MM EL	17/32" TW X 60-1/2" EL	9605HD, 17605
17620BLT	13MM TW X 1574MM EL	17/32" TW X 62" EL	9620HD, 17620, 17621
17630BLT	13MM TW X 1601MM EL	17/32" TW X 63" EL	9630HD, 17630, 17633
17640BLT	13MM TW X 1626MM EL	17/32" TW X 64" EL	9640HD, 17640, 17641
22520BLT	15MM TW X 1303MM EL	22/32" TW X 51 1/2" EL	TR22514, T22514, 22520
22560BLT	15MM TW X 1422MM EL	22/32" TW X 56" EL	TR22553, T22553, 22560
22570BLT	15MM TW X 1435MM EL	22/32" TW x 56-1/2" EL	22570DY, 22570, 5560
22574BLT	15MM TW X 1448MM EL	22/32" TW X 57" EL	TR22570, T22570, 22574
22583BLT	15MM TW X 1480MM EL	22/32" TW X 58.3" EL	971HD
22590BLT	15MM TW X 1494MM EL	22/32" TW X 58.5" EL	TR22588, T22588, 22590
22624BLT	15MM TW X 1575MM EL	22/32" TW X 62" EL	TR20619, T20619, 22624
22634BLT	15MM TW X 1587MM EL	22/32" TW X 63" EL	TR22625, T22625, 22634
22650BLT	15MM TW X 1644MM EL	22/32" TW X 64-1/2" EL	TR22648, T22648, 22650
22670BLT	15MM TW X 1688MM EL	22/32" TW X 66-1/2" EL	TR22664, T22664, 22670
28445BLT	20MM TW X 1131MM EL	28/32" TW X 44-1/2" EL	TR28445, 20A1130
28457BLT	20MM TW X 1155MM EL	28/32" TW X 45-1/2" EL	459, T28454, 28457
28477BLT	20MM TW X 1201MM EL	28/32" TW X 47" EL	20A1200, 4338770, 28477
28483BLT	20MM TW X 1221MM EL	28/32" TW X 48" EL	TR28480, 2L360, 28483
28503BLT	20MM TW X 1270MM EL	28/32" TW X 50" EL	501, 20A1275
28513BLT	20MM TW X 1297MM EL	28/32" TW X 51" EL	TR28510, T28510, 28513
28523BLT	20MM TW X 1327MM EL	28/32" TW X 52" EL	TR28522, T28522, 28523
28553BLT	20MM TW X 1399MM EL	28/32" TW X 55" EL	20A1395, 1117040, 28553
28600BLT	20MM TW X 1524MM EL	28/32" TW X 60" EL	D1102-6003, 4320755, 28603
28403BLT	20MM TW X 1644MM EL	28/32" TW X 40" EL	TR28400, T28400, 28403

POLY RIB BELTS

FEATURES & BENEFITS

- Heat-resistant and built to withstand wear and corrosion.
- OE quality fit and construction for reliable, long-lasting performance.
- Multiple rib design provides flexibility to easily thread around several pulleys in a congested engine compartment.
- Polyester cording provides maximum power transfer and tension holding capability for the life of the belt.
- Made from an extremely durable and flexible synthetic rubber to help extend belt life and wear whilst resisting heat, oil & grease degradation.
- 12 month, unlimited Kilometre warranty.

POLY RIB BELT — APPLICATIONS AND CROSS REFERENCES

PART NUMBER	DIMENSION (MM)	DIMENSION (INCH)	EQUIVALENTS
345K5BLT	5 RIBS X 875MM EL	5 RIBS X 34-1/2" EL	5PK875, 5K344, 4050345
465K8BLT	5 RIBS X 1181MM EL	5 RIBS X 46 1/2" EL	3028521, 8K465, 4080465
510K10BLT	10 RIBS X 1295MM EL	10 RIBS X 51" EL	10PK1295, 10K510, 4100510
585K8BLT	8 RIBS X 1485MM EL	8 RIBS X 58 1/2" EL	8PK1485, 8K585, 4080585
660K10BLT	10 RIBS X 1677MM EL	10 RIBS X 66" EL	D1102-6362, 10K658, 4100660
685K8BLT	8 RIBS X 1740MM EL	8 RIBS X 68 1/2" EL	8PK1740, 4080685, D84-1000-6081735, 8K685
690K8BLT	8 RIBS X 1755MM EL	8 RIBS X 69" EL	8PK1755, 4080690, 8K690
760K8BLT	8 RIBS X 1930MM EL	8 RIBS X 76" EL	8PK1930, 4080760, D84-1000-6081930, 8K760
855K8BLT	8 RIBS X 2172MM EL	8 RIBS X 85 1/2" EL	4080855, D84-1000-6082175, 8PK2170
897K8BLT	8 RIBS X 2278MM EL	8 RIBS X 89-5/7" EL	8PK2285, 4080897, D84-1000-6082290, 8K897

For further information and full warranty details visit our website

www.trpparts.com.au

Copyright ©2022 PACCAR Australia. Unauthorised reproduction in whole or part without our express written permission is strictly prohibited. Information and diagrams are provided for guidance only. PACCAR Australia reserves the right to alter product offerings and specifications at any time, without notice. PACCAR Australia makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic or typographic errors. Product designs vary across different vehicle makes and models, and installed components should be identified by part number before attempting repair or replacement. Products should only be replaced by a suitably trained and qualified technician/tradesperson.

