



TRP® LOAD RESTRAINTS

When you transport for a living, load restraints may be just another element, but a costly one to get wrong indeed. Restraints are safety critical products that have to be fully compliant to the Australian standards.

TRP range of load binders, chain kits and

ratchet assemblies are manufactured and tested to meet Australian standards AS/NZS 4380 and 4344 but most importantly our testing regime occurs at both manufacturer level and here in Australia.

We take Chain of Responsibility seriously.

- ✓ Heavy duty construction for long life and wear resistance
- ✓ 12 Month Hassle Free Warranty
- ✓ Fully compliant to Australian cargo restraint standards

PRODUCT INFORMATION

Part No/Description



TRPLC8MM

- 8mmx9m Grade 70 Chain Kits
- 3800 kg lashing capacity
- Clevis cradle grab hook at each end
- Zinc Di-chromate(gold) finish
- Supplied in handy resealable buckets
- Complies to AS/NZS 4344



LB8MMTRP

- 8mm Ratchet type Loadbinder- twin pack
- 7-8mm eye grab hooks with wings
- Lashing capacity
 - 7mm L.C : 3000 kg
 - 8mm L.C : 3800 kg
- Maximum break strength : 8600 kg
- Complies to AS/NZS 4344



TRPRS9M

- 50mm x 9m Ratchet Assembly
- Polyester webbing with 2 protective sleeves
- Double locking mechanism
- Hook and keeper with reinforced eyes
- Lashing capacity : 2500 kg
- Complies to AS/NZS 4380



TRPS9M

- 50mm x 9m Replacement Strap
- Polyester webbing with 2 protective sleeves
- Hook and keeper with reinforced eyes
- Lashing capacity : 2500 kg
- Complies to AS/NZS 4380



TRPRS12M

- 50mm x 12m Ratchet Assembly
- Polyester webbing with 2 protective sleeves
- Double locking mechanism
- Hook and keeper with reinforced eyes
- Lashing capacity : 2500 kg
- Complies to AS/NZS 4380



TRPS12M

- 50mm x 12m Replacement Strap
- Polyester webbing with 2 protective sleeves
- Hook and keeper with reinforced eyes
- Lashing capacity : 2500 kg
- Complies to AS/NZS 4380



TRUSTED. RELIABLE. PROVEN.

FEATURES AND BENEFITS

- Ratchet and strap assembly comply to AS/NZS 4380
- Chain kits and Load binder comply to AS/NZS 4344
- Every batch is tested at manufacturer level and secondary tested in a NATA accredited lab in Australia.
- Manufactured to ISO 9001 standards
- Additional design features for user's safety and comfort
- Heavy duty construction for long life and wear resistance
- 12 months Hassle free warranty

CROSS REFERENCES

TRP Part no	Description	Part number	
		ANCRA	BEAVER
LB8MMTRP	8mm Ratchet Loadbinder-Twinpack	LB0302	344008
TRPLC8MM	8mm Chain Kits, 9m Grab Hooks	40552-8MM-9M-GH	145128
TRPRS9M	TRP Ratchet and Strap, 50mm x 9m	50000-12	RTD055PL
TRPS9M	TRP Replacement Strap, 50mm x 9m	41659-10A	342313
TRPRS12M	TRP Ratchet and Strap, 50mm x 12m	50000-12-11MTR	RTD055PL-12
TRPS12M	TRP Replacement Strap, 50mm x 12m	41659-16	342312

*Please read safety instruction on the tag or product label before use

Warning :Do not exceed Rated capacity

Not to be used for any industrial lifting purpose

RELATED PARTS

Part No/Description	
	TRP-PA1040 LONG PALLET ANGLE 1040mm
	KW-PA1040 LONG PALLET ANGLE 1040mm
	TRP-PA500 SHORT PALLET ANGLE 500mm
	TRP-CK001 CHAIN KNUCKLE

**FREECALL* 1800 (TRPART) 877 278 NOW
TO SPEAK TO YOUR LOCAL DEALER**

For further information and full warranty details visit our website

www.trpparts.com.au

Copyright ©2019 property of PACCAR Australia. Unauthorised reproduction in whole or part without our express written permission is strictly prohibited. Information and diagrams are provided for guidance only. PACCAR Australia reserves the right to alter product offerings and specifications at any time, without notice. PACCAR Australia makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic or typographic errors. Product designs vary across different vehicle makes and models, and installed components should be identified by part number before attempting repair or replacement. Products should only be replaced by suitably trained and qualified technician/tradesperson.

*Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.

